

AGENDA
May 7, 2024

MAYOR MCLAUGHLIN CALLS THE MEETING TO ORDER AND CALLS FOR FLAG SALUTE

MAYOR MCLAUGHLIN ASKS THE CLERK TO CALL THE ROLL:

ROLL CALL

COMM. McLOUGHLIN-____; COMM. CUMISKEY____;MAYOR McLAUGHLIN-____

MAYOR MCLAUGHLIN ANNOUNCES THAT THE NOTICE REQUIREMENTS OF R.S. 10:4-18 HAVE BEEN SATISFIED BY DELIVERING THE REQUIRED NOTICE TO THE COASTER AND THE ASBURY PARK PRESS, POSTING THE NOTICE ON THE BOARD IN BOROUGH HALL AND FILING A COPY OF SAID NOTICE WITH THE BOROUGH CLERK.

COMMUNICATIONS: None

ANNOUNCEMENTS:

- There were no bids received in response to the Request for Proposals for a Snack Bar at the Beach Club for the 2024 Season

ORDINANCES

ORDINANCES – FINAL READING

ORDINANCE #2024-08 – Final Reading

Offered By:

Seconded By:

ORDINANCE #2024-08

AN ORDINANCE REVISING THE BOROUGH CODE OF THE BOROUGH OF ALLENHURST, CHAPTER XXVI, DELETING CURRENT SECTION 26-12 ET SEQ. ENTITLED “STORMWATER CONTROL” AND REPLACING IT WITH A NEW SECTION 26-12 ENTITLED “STORMWATER CONTROL”

VOTE: Comm. McLoughlin____; Comm. Cumiskey____; Mayor McLaughlin____

CONSENT AGENDA:

Res. #2024-112	Dispense with Reading of Minutes
Res. #2024-113	Ratify and Approve Minutes.
Res. #2024-114	Approve LOSAP Participants
Res. #2024-115	Hire Seasonal Employees
Res. #2024-116	Approve Summer Hours
Res. #2024-117	Approve Engineer Certificate #4 – Boardwalk Improvements
Res. #2024-118	Approve ABC Refunds

Res. #2024-119 Hire Seasonal Employees – Pre-Season
Res. #2024-120 Approve Engineer Certificate #3 – Improvements to Municipal Handicap Ramp – MTB LLC.
Res. #2024-121 Approve Junior Members in First Aid Squad
Res. #2024-122 Approve Executive Session

Consent Agenda Offered By: _____ Seconded By: _____

VOTE: Comm. McLoughlin____; Comm. Cumiskey____; Mayor McLaughlin_____

Res. #2024-123 Approve Bills (4-17-2023 to 5-7-2024).

Offered By: _____ Seconded By: _____,

VOTE: Comm. McLoughlin____; Comm. Cumiskey____; Mayor McLaughlin_____

ITEMS FOR DISCUSSION:
OPEN PUBLIC HEARING:
CLOSE PUBLIC HEARING:
ADJOURN.

ORDINANCES

ORDINANCES – FINAL READING

ORDINANCE #2024-08 – Final Reading

ORDINANCE #2024-08

AN ORDINANCE REVISING THE BOROUGH CODE OF THE BOROUGH OF ALLENHURST, CHAPTER XXVI, DELETING CURRENT SECTION 26-12 ET SEQ. ENTITLED “STORMWATER CONTROL” AND REPLACING IT WITH A NEW SECTION 26-12 ENTITLED “STORMWATER CONTROL”

Offered By: _____ Seconded By: _____

WHEREAS, the New Jersey Department of Environmental Protection has mandated that all municipalities are required to revise their stormwater control ordinance to conform with the State of New Jersey’s recently amended stormwater management rules (See N.J.A.C. §7:8); and

WHEREAS, the Board of Commissioners of the Borough of Allenhurst, in order to be in compliance with the requirements of the State, hereby amends and supplement the Borough Code of the Borough of Allenhurst, Development Regulations, Chapter 26 by deleting the current Section 26-12 et seq. in its entirety and replacing it with the following new Section 26-12 entitled “Stormwater Control”.

NOW THEREFORE, BE IT ORDAINED by the Board of Commissioners of the Borough of Allenhurst, County of Monmouth, State of New Jersey, that Chapter XXVI of the Borough Code of the Borough of Allenhurst be and is hereby revised to delete the existing Subsections 26-12.1 through 26-12.13 entitled “Stormwater Control” and replace it with the following:

§26-12 Stormwater Control

26-12.1. Scope and Purpose:

A. Policy Statement

Flood control, groundwater recharge, and pollutant reduction shall be achieved through the use of stormwater management measures, including green infrastructure Best Management Practices (GI BMPs) and nonstructural stormwater management strategies. GI BMPs should be utilized to meet the goal of maintaining natural hydrology to reduce stormwater runoff volume, reduce erosion, encourage infiltration and groundwater recharge, and reduce pollution. GI BMPs should be developed based upon physical site conditions and the origin, nature and the anticipated quantity, or amount, of potential pollutants. Multiple stormwater management BMPs may be necessary to achieve the established performance standards for green infrastructure, water quality, quantity, and groundwater recharge.

B. Purpose

The purpose of this ordinance is to establish minimum stormwater management requirements and controls for “major development,” as defined below in Subsection 26-12.2.

C. Applicability

1. This ordinance shall be applicable to the following major developments:
 - i. Non-residential major developments and redevelopment projects; and
 - ii. Aspects of residential major developments and redevelopment projects that are not pre-empted by the Residential Site Improvement Standards at N.J.A.C. 5:21 et seq.
2. This ordinance shall also be applicable to all major developments undertaken by the Borough of Allenhurst.
3. Applicability of this ordinance to major developments shall comply with last amended N.J.A.C. 7:8-1.6, incorporated herein by reference.

D. Compatibility with Other Permit and Ordinance Requirements

Development approvals issued pursuant to this ordinance are to be considered an integral part of development approvals and do not relieve the applicant of the responsibility to secure required permits or approvals for activities regulated by any other applicable code, rule, act, or ordinance. In their interpretation and application, the provisions of this ordinance shall be held to be the minimum requirements for the promotion of the public health, safety, and general welfare.

This ordinance is not intended to interfere with, abrogate, or annul any other ordinances, rule or regulation, statute, or other provision of law except that, where any provision of this ordinance imposes restrictions different from those imposed by any other ordinance, rule or regulation, or other provision of law, the more restrictive provisions or higher standards shall control.

26-12.2. Definitions:

For the purpose of this ordinance, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this ordinance clearly demonstrates a different meaning. When not inconsistent with the context, words used in the present tense include the future, words used in the plural number include the singular number, and words used in the singular number include the plural number. The word "shall" is always mandatory and not merely directory. The definitions used in this ordinance shall be the same as the last amended Stormwater Management Rules at N.J.A.C. 7:8-1.2, incorporated herein by reference.

26-12.3. Design and Performance Standards for Stormwater Management Measures:

This section establishes design and performance standards for stormwater management measures for major development intended to minimize the adverse impact of stormwater runoff on water quality and water quantity and loss of groundwater recharge in receiving water bodies. Design and performance standards for stormwater management measures shall comply with last amended N.J.A.C. 7:8-5, incorporated herein by reference.

26-12.4. Solids and Floatable Materials Control Standards:

A. Site design features identified under Subsection 26-12.3 above, or alternative designs in accordance with Subsection 26-12.3 above, to prevent discharge of trash and debris from drainage systems shall comply with the following standard to control passage of solid and floatable materials through storm drain inlets. For purposes of this paragraph, “solid and floatable materials” means sediment, debris, trash, and other floating, suspended, or settleable solids. For exemptions to this standard see Subsection 26-12.4.A.2 below.

1. Design engineers shall use one of the following grates whenever they use a grate in pavement or another ground surface to collect stormwater from that surface into a storm drain or surface water body under that grate:
 - i. The New Jersey Department of Transportation (NJDOT) bicycle safe grate, which is described in Chapter 2.4 of the NJDOT Bicycle Compatible Roadways and Bikeways Planning and Design Guidelines; or
 - ii. A different grate, if each individual clear space in that grate has an area of no more than seven (7.0) square inches, or is no greater than 0.5 inches across the smallest dimension. Note that the Residential Site Improvement Standards at N.J.A.C. 5:21 include requirements for bicycle safe grates.

Examples of grates subject to this standard include grates in grate inlets, the grate portion (non-curb-opening portion) of combination inlets, grates on storm sewer manholes, ditch grates, trench grates, and grates of spacer bars in slotted drains. Examples of ground surfaces include surfaces of roads (including bridges), driveways, parking areas, bikeways, plazas, sidewalks, lawns, fields, open channels, and stormwater system floors used to collect stormwater from the surface into a storm drain or surface water body.

- iii. For curb-opening inlets, including curb-opening inlets in combination inlets, the clear space in that curb opening, or each individual clear space if the curb opening has two or more clear spaces, shall have an area of no more than seven (7.0) square inches, or be no greater than two (2.0) inches across the smallest dimension.

2. The standard in Subsection 26-12.4.A.1. above does not apply:
 - i. Where each individual clear space in the curb opening in existing curb-opening inlet does not have an area of more than nine (9.0) square inches;
 - ii. Where the municipality agrees that the standards would cause inadequate hydraulic performance that could not practicably be overcome by using additional or larger storm drain inlets;
 - iii. Where flows from the water quality design storm as specified in the last amended Stormwater Management rules at N.J.A.C. 7:8 et seq. are conveyed through any device (e.g., end of pipe netting facility, manufactured treatment device, or a catch basin hood) that is designed, at a minimum, to prevent delivery of all solid and floatable materials that could not pass through one of the following:
 - a. A rectangular space four and five-eighths (4.625) inches long and one and one-half (1.5) inches wide (this option does not apply for outfall netting facilities); or
 - b. A bar screen having a bar spacing of 0.5 inches.

Note that these exemptions do not authorize any infringement of requirements in the Residential Site Improvement Standards for bicycle safe grates in new residential development (N.J.A.C. 5:21-4.18(b)2 and 7.4(b)1).


- iv. Where flows are conveyed through a trash rack that has parallel bars with one-inch (1 inch) spacing between the bars, to the elevation of the Water Quality Design Storm as specified in N.J.A.C. 7:8; or
- v. Where the New Jersey Department of Environmental Protection determines, pursuant to the New Jersey Register of Historic Places Rules at N.J.A.C. 7:4-7.2(c), that action to meet this standard is an undertaking that constitutes an encroachment or will damage or destroy the New Jersey Register listed historic property.

26-12.5. Safety Standards for Stormwater Management Basins:

A. This section sets forth requirements to protect public safety through the proper design and operation of stormwater management basins. This section applies to any new stormwater management basin. Safety standards for stormwater management measures shall comply with last amended N.J.A.C. 7:8-6, incorporated herein by reference.

B. Safety Ledge Illustration

Elevation View –Basin Safety Ledge Configuration



26-12.6. Requirements for a Site Development Stormwater Plan:

A. Submission of Site Development Stormwater Plan

1. Whenever an applicant seeks municipal approval of a development subject to this ordinance, the applicant shall submit all of the required components of the Checklist for the Site Development Stormwater Plan at Subsection 26-12.6.C below as part of the submission of the application for approval.
2. The applicant shall demonstrate that the project meets the standards set forth in this ordinance.
3. The applicant shall submit eight (8) copies of the materials listed in the checklist for site development stormwater plans in accordance with Subsection 26-12.6.C of this ordinance.

B. Site Development Stormwater Plan Approval

The applicant's Site Development project shall be reviewed as a part of the review process by the municipal board or official from which municipal approval is sought. That municipal board or official shall consult the municipality's review engineer to determine if all of the checklist requirements have been satisfied and to determine if the project meets the standards set forth in this ordinance.

C. Submission of Site Development Stormwater Plan

The following information shall be required:

1. Topographic Base Map

The reviewing engineer may require upstream tributary drainage system

information as necessary. It is recommended that the topographic base map of the site be submitted which extends a minimum of 200 feet beyond the limits of the proposed development, at a scale of 1"=200' or greater, showing 2-foot contour intervals. The map as appropriate may indicate the following: existing surface water drainage, shorelines, steep slopes, soils, erodible soils, perennial or intermittent streams that drain into or upstream of the Category One waters, wetlands and flood plains along with their appropriate buffer strips, marshlands and other wetlands, pervious or vegetative surfaces, existing man-made structures, roads, bearing and distances of property lines, and significant natural and manmade features not otherwise shown.

2. Environmental Site Analysis

A written and graphic description of the natural and man-made features of the site and its surroundings should be submitted. This description should include a discussion of soil conditions, slopes, wetlands, waterways and vegetation on the site. Particular attention should be given to unique, unusual, or environmentally sensitive features and to those that provide particular opportunities or constraints for development.

3. Project Description and Site Plans

A map (or maps) at the scale of the topographical base map indicating the location of existing and proposed buildings roads, parking areas, utilities, structural facilities for stormwater management and sediment control, and other permanent structures. The map(s) shall also clearly show areas where alterations will occur in the natural terrain and cover, including lawns and other landscaping, and seasonal high groundwater elevations. A written description of the site plan and justification for proposed changes in natural conditions shall also be provided.

4. Land Use Planning and Source Control Plan

This plan shall provide a demonstration of how the goals and standards of Subsection 26-12.3 is being met. The focus of this plan shall be to describe how the site is being developed to meet the objective of controlling groundwater recharge, stormwater quality and stormwater quantity problems at the source by land management and source controls whenever possible.

5. Stormwater Management Facilities Map

The following information, illustrated on a map of the same scale as the topographic base map, shall be included:

- i. Total area to be disturbed, paved or built upon, proposed surface contours, land area to be occupied by the stormwater management facilities and the

type of vegetation thereon, and details of the proposed plan to control and dispose of stormwater.

- ii. Details of all stormwater management facility designs, during and after construction, including discharge provisions, discharge capacity for each outlet at different levels of detention and emergency spillway provisions with maximum discharge capacity of each spillway.

6. Calculations

- i. Comprehensive hydrologic and hydraulic design calculations for the pre-development and post-development conditions for the design storms specified in Subsection 26-12.3 of this ordinance.
- ii. When the proposed stormwater management control measures depend on the hydrologic properties of soils or require certain separation from the seasonal high water table, then a soils report shall be submitted. The soils report shall be based on onsite boring logs or soil pit profiles. The number and location of required soil borings or soil pits shall be determined based on what is needed to determine the suitability and distribution of soils present at the location of the control measure.

7. Maintenance and Repair Plan

The design and planning of the stormwater management facility shall meet the maintenance requirements of Subsection 26-12.7.

8. Waiver from Submission Requirements

The municipal official or board reviewing an application under this ordinance may, in consultation with the municipality's review engineer, waive submission of any of the requirements in Subsection 26-12.6.C.1 through Subsection 26-12.6.C.6 of this ordinance when it can be demonstrated that the information requested is impossible to obtain or it would create a hardship on the applicant to obtain and its absence will not materially affect the review process.

26-12.7. Maintenance and Repair:

A. Applicability

Projects subject to review as in Subsection 26-12.1.C of this ordinance shall comply with the requirements of Subsection 26-12.7.B and Subsection 26-12.7.C.

B. General Maintenance

1. Maintenance for stormwater management measures shall comply with last amended N.J.A.C. 7:8-5.8, incorporated herein by reference.

2. The following requirements of N.J.A.C. 7:8-5.8 do not apply to stormwater management facilities that are dedicated to and accepted by the municipality or another governmental agency, subject to all applicable municipal stormwater general permit conditions, as issued by the Department:
 - i. If the maintenance plan identifies a person other than the property owner (for example, a developer, a public agency or homeowners' association) as having the responsibility for maintenance, the plan shall include documentation of such person's or entity's agreement to assume this responsibility, or of the owner's obligation to dedicate a stormwater management facility to such person under an applicable ordinance or regulation; and
 - ii. Responsibility for maintenance shall not be assigned or transferred to the owner or tenant of an individual property in a residential development or project, unless such owner or tenant owns or leases the entire residential development or project. The individual property owner may be assigned incidental tasks, such as weeding of a green infrastructure BMP, provided the individual agrees to assume these tasks; however, the individual cannot be legally responsible for all of the maintenance required.
 3. In the event that the stormwater management facility becomes a danger to public safety or public health, or if it is in need of maintenance or repair, the municipality shall so notify the responsible person in writing. Upon receipt of that notice, the responsible person shall have fourteen (14) days to effect maintenance and repair of the facility in a manner that is approved by the municipal engineer or his designee. The municipality, in its discretion, may extend the time allowed for effecting maintenance and repair for good cause. If the responsible person fails or refuses to perform such maintenance and repair, the municipality or County may immediately proceed to do so and shall bill the cost thereof to the responsible person. Nonpayment of such bill may result in a lien on the property.
- C. Nothing in this subsection shall preclude the municipality in which the major development is located from requiring the posting of a performance or maintenance guarantee in accordance with N.J.S.A. 40:55D-53.

26-12.8. Penalties:

Any person(s) who erects, constructs, alters, repairs, converts, maintains, or uses any building, structure or land in violation of this ordinance shall be subject to the penalties as specified in Chapter 26 Development Regulations, Section 26-9, entitled "Violations and Penalties." of the Borough Code of the Borough of Allenhurst.

26-12.9. Severability:

Each section, subsection, sentence, clause and phrase of this Ordinance is declared to be an independent section, subsection, sentence, clause and phrase, and the finding or holding of any such portion of this Ordinance to be unconstitutional, void, or ineffective for any cause, or reason, shall not affect any other portion of this Ordinance.

26-12.10. Effective Date:

This Ordinance shall be in full force and effect from and after its adoption and any publication as required by law.

AND, BE IT FURTHER ORDAINED, that a copy of this Ordinance, upon introduction, shall be provided to all appropriate municipal agencies, including the Planning Board, for their information and reference to the same per New Jersey Statutes; and

BE IT FURTHER ORDAINED, that any ordinances or portions thereof which are inconsistent with the provisions of this Ordinance are hereby repealed as of the effective date of this Ordinance. All other provisions of the Borough Code of the Borough of Allenhurst are ratified and remain in full force and effect; and

BE IT FURTHER ORDAINED, that if any provision of this Ordinance or the application of such provision to any person or circumstance is declared invalid, such invalidity shall not affect the other provisions of applications of this Ordinance which can be given effect, and to this end, the provisions of this Ordinance are declared to be severable.

VOTE: Comm. McLoughlin-____; Comm. Cumiskey-____; Mayor McLaughlin-_____.

RESOLUTIONS

RESOLUTION #2024-112

A RESOLUTION TO DISPENSE WITH READING OF MINUTES

Offered By: Seconded By:

BE IT RESOLVED, That the Clerk dispense with the reading of the Regular Meeting of April 16, 2024.

VOTE: Comm. McLoughlin ____; Comm. Cumiskey ____; Mayor McLaughlin ____

RESOLUTION #2024-113

A RESOLUTION TO RATIFY AND APPROVE MINUTES

Offered By: Seconded By:

BE IT RESOLVED, That the minutes of the Regular Meeting of April 16, 2024 be ratified and approved.

VOTE: Comm. McLoughlin ____; Comm. Cumiskey ____; Mayor McLaughlin ____

RESOLUTION #2024-114

A RESOLUTION TO APPROVE LOSAP PARTICIPANTS

Offered By: Seconded By:

BE IT RESOLVED, By the Board of Commissioners of the Borough of Allenhurst the following list of qualified Allenhurst firefighters and Emergency Medical Technicians are certified to receive \$1,312.50 each from the Allenhurst, Interlaken, Loch Arbour LOSAP Program for the year 2023:

BELHASSEN	DAVID
BORDEN	SUSAN
EBBETS	KYLE
GULICK	DANIEL
MANFREDI	FRANK
MCLOUGHLIN	PATRICIA
POWERS	MICHAEL
VACCARO	JAMES
VARLEY	WILLIAM
WARD	CARLA
WARD	JUSTIN
WILLIAMS	CHRISTIAN

VOTE: Comm. McLoughlin ____; Comm. Cumiskey ____; Mayor McLaughlin ____

RESOLUTION #2024-115
A RESOLUTION TO HIRE SEASONAL EMPLOYEES

Offered By:

Seconded By:

BE IT RESOLVED, That the following be hired for the 2024 summer season commencing on May 24, 2024:

	Name	Rate of Pay	
Assistant Manager	Dominic Longo	\$17,000.00	Per Season
Security	Riley Manfredi (Supervisor)	\$17.25	Per Hour
Security	Julianna Ilvento (Assistant Supervisor)	\$15.25	Per Hour
Security	Fiona Corrigan	\$13.73	Per Hour
Security	Kayla Craig	\$13.73	Per Hour
Security	Chloe Farrell	\$13.73	Per Hour
Security	Molly Tantrum	\$13.73	Per Hour
Security	Chloe Chernoff	\$13.73	Per Hour
Security	Matthew McCann	\$13.73	Per Hour
Security	Madison Loushine	\$13.73	Per Hour
Security	Emma Loushine	\$13.73	Per Hour
Security	Richard Wade	\$13.73	Per Hour
Security	Brad Comer	\$13.73	Per Hour
Security	Abbie Harber	\$13.73	Per Hour
Security	Kylie Mammano	\$13.73	Per Hour
Security	Alexis Galarneu	\$13.73	Per Hour
Security	Logan Renvoize	\$13.73	Per Hour
Security	Kilsarys Diaz	\$13.73	Per Hour
Security	Olivia DeGirolamo	\$13.73	Per Hour
Security	Kalliope Sarrinikolaou	\$13.73	Per Hour
Security	Christopher Greco	\$13.73	Per Hour
Security	Christian Nunez	\$13.73	Per Hour
Security	Emilia Cerefice	\$13.73	Per Hour
Security	Chloe Manning	\$13.73	Per Hour
Security	Briana Pugielli	\$13.73	Per Hour
Security	Amelia LaRosa	\$13.73	Per Hour
Recreation	Neel Khichi - (Director) (Salary)	\$8,000.00	Per Season
Recreation	Olivia DelCuore - (Assistant Director)	\$17.00	Per Hour
Recreation	Lana Maizel - (Art Specialist)	\$16.00	Per Hour
Recreation	Kaylee Brand (Art Assistant)	\$13.73	Per Hour
Recreation	Amalia Souto (Art Assistant)	\$13.73	Per Hour
Recreation	Anton Tribel - (Sports Specialist)	\$17.00	Per Hour

Recreation	Robert Curran - (Sports Specialist)	\$17.00	Per Hour
Recreation	Lincoln Desposito - Assistant Sports Specialist	\$15.00	Per Hour
Recreation	Olivia Steckhahn	\$13.73	Per Hour
Recreation	Anna Poniros	\$13.73	Per Hour
Recreation	Ava Scotto	\$13.73	Per Hour
Recreation	Braelyn Dalia	\$13.73	Per Hour
Recreation	Brandon Abatemarco	\$13.73	Per Hour
Recreation	Cecelia Flammia	\$13.73	Per Hour
Recreation	Francesca Ranucci	\$13.73	Per Hour
Recreation	Gabriella Desposito	\$13.73	Per Hour
Recreation	Grace Flammia	\$13.73	Per Hour
Recreation	Joey Bercovicz	\$13.73	Per Hour
Recreation	Jillian Scotto	\$13.73	Per Hour
Recreation	Katherine Yehl	\$13.73	Per Hour
Recreation	Maeve Horowitz	\$13.73	Per Hour
Recreation	Maggie Guzauskus	\$13.73	Per Hour
Recreation	Megan Weber	\$13.73	Per Hour
Recreation	Rosabella Salvatore	\$13.73	Per Hour
Recreation	Tess McDonald	\$13.73	Per Hour
Recreation	Grace Taylor	\$13.73	Per Hour
Recreation	Jane Alto	\$13.73	Per Hour
Recreation	Michael Chmura	\$13.73	Per Hour
Recreation	Anthony Avallone	\$13.73	Per Hour
Poolside	Julia Wagner	\$14.73	Per Hour
Poolside	Quintin Wade	\$13.73	Per Hour
Poolside	Sam Nudelman	\$13.73	Per Hour
Poolside	Johnny Manganiello	\$13.73	Per Hour
Poolside	Emily Haege	\$13.73	Per Hour
Cabana	Roger Federio - Supervisor	\$15.73	Per Hour
Cabana	Martin Horowitz - Assistant Supervisor	\$14.73	Per Hour
Cabana	Sofia Ranucci	\$13.73	Per Hour
Cabana	Brandon Harrington	\$13.73	Per Hour
Cabana	Lucas Renvoize	\$13.73	Per Hour
Cabana	Frank McCann	\$13.73	Per Hour
Cabana	Sara Kramer	\$13.73	Per Hour
Cabana	Jack Gleason	\$13.73	Per Hour
Cabana	Emmett Varley	\$13.73	Per Hour
Cabana	Chris Mueller	\$13.73	Per Hour
Cabana	Xander Aguilar	\$13.73	Per Hour

Deck	Janiny Avallone	\$17.25	Per Hour
Deck	Hyatt Lowe	\$15.00	Per Hour
Deck	Stephen Falco	\$13.73	Per Hour
Deck	Brody Salowe	\$13.73	Per Hour
Deck	Gio Poniros	\$13.73	Per Hour
Deck	Vincent Carasia	\$13.73	Per Hour
Deck	Grant Gryta	\$13.73	Per Hour
Deck	Michael Poniros	\$13.73	Per Hour
Deck	John Torres	\$13.73	Per Hour
Lifeguard	Michael McLaughlin (Salary)	\$17,000.00	Per Season
Lifeguard	Kaia Abbatiello	\$16.25	Per Hour
Lifeguard	Andrew Abatemarco	\$15.75	Per Hour
Lifeguard	Luke Baumann	\$15.25	Per Hour
Lifeguard	Matthew Capilla	\$17.00	Per Hour
Lifeguard	Tim Chambrovich	\$19.00	Per Hour
Lifeguard	Brian Chung	\$18.00	Per Hour
Lifeguard	Chris Costanzo (Pool Supervisor)	\$18.00	Per Hour
Lifeguard	Maria Dmitriyeva	\$15.75	Per Hour
Lifeguard	Sarah Dougherty	\$15.50	Per Hour
Lifeguard	Alex Foley	\$15.50	Per Hour
Lifeguard	Tommy Glynn	\$17.00	Per Hour
Lifeguard	Seamus Laffin	\$16.25	Per Hour
Lifeguard	James Larrabee	\$16.25	Per Hour
Lifeguard	Adam Johnson	\$15.50	Per Hour
Lifeguard	Dylan Mannion	\$18.00	Per Hour
Lifeguard	Sophia Manganiello	\$16.00	Per Hour
Lifeguard	Olivia Michals	\$17.50	Per Hour
Lifeguard	Gavin Mitchel	\$15.00	Per Hour
Lifeguard	Jack Nelson	\$15.50	Per Hour
Lifeguard	Michael Reid (Lieutenant South)	\$16.25	Per Hour
Lifeguard	Luke Roussell	\$16.25	Per Hour
Lifeguard	Tessa Roussell	\$15.00	Per Hour
Lifeguard	Dylan Stewart (Captain North)	\$19.00	Per Hour
Lifeguard	Jake Stewart	\$16.00	Per Hour
Lifeguard	Matt Stewart	\$16.00	Per Hour
Lifeguard	Matt Taylor (Lieutenant North)	\$17.25	Per Hour
Lifeguard	Isabel Thierman	\$17.00	Per Hour
Lifeguard	Redding Thomas	\$17.00	Per Hour
Lifeguard	Brooke Todd	\$15.00	Per Hour

Lifeguard	Connor Tongring	\$15.00	Per Hour
Lifeguard	Ryan Wade	\$17.00	Per Hour
Lifeguard	Elise Wanner	\$17.50	Per Hour
Custodian	Obdulia Serrano Martinez	\$22.50	Per Hour
Custodian	Mario Palofax	\$22.00	Per Hour
Bus Driver	Candace Walker	\$20.00	Per Hour
Swim Team Director	Rich Steckhahn (Salary)	\$1,200.00	Per Season
Swim Team Assistant	Jeff Soares (Salary)	\$1,000.00	Per Season
Junior Guards Director	Elise Wanner	\$1,100.00	Per Season
Junior Guards Assistant	Dylan Stewart	\$250.00	Per Season
Junior Guards Assistant	Chris Costanzo	\$250.00	Per Season
Junior Guards Assistant	Alex Foley	\$250.00	Per Season
Junior Guards Assistant	Kaia Abbatiello	\$250.00	Per Season

VOTE: Comm. McLoughlin____; Comm. Cumiskey____;Mayor McLaughlin____

RESOLUTION #2024-116

A RESOLUTION TO APPROVE SUMMER HOURS

Offered By: _____ Seconded By: _____

BE IT RESOLVED, That the following schedule of summer hours for Borough Hall shall become effective Friday, May 24, 2024 and end Friday, September 27, 2024:

Monday - Thursday	8 AM - 4:30 PM
Friday	8 AM - 2:00 PM

VOTE: Comm. McLoughlin____; Comm. Cumiskey____;Mayor McLaughlin____

RESOLUTION #2024-117

A RESOLUTION TO APPROVE ENGINEER CERTIFICATE #4 FOR BOARDWALK IMPROVEMENTS

Offered By: _____ Seconded By: _____

WHEREAS, A contract was awarded to Epic Management, Inc. for “Boardwalk Improvements” and,

WHEREAS, The Borough Engineer has reviewed the project and recommended payment as provided for in Engineer’s Certificate #4, which is on file in the Clerk’s office;

WHEREAS, Funds for this purpose shall be provided through the Ordinance “Boardwalk Improvements - Bond Ordinance 2023-09 C-04-55-988-005”, and the CFO has so certified;

NOW, THEREFORE, BE IT RESOLVED, That Epic Management, Inc. be compensated in the amount of \$94,418.10 for work done in accordance with the Engineer’s Certificate #4.

VOTE: Comm. McLoughlin-____; Comm. Cumiskey-____; Mayor McLaughlin-_____

**RESOLUTION #2024-118
A RESOLUTION TO APPROVE ABC REFUNDS**

Offered By: _____ Seconded By: _____

BE IT RESOLVED, That the following refund of ABC fees be approved:

NAME	AMOUNT	
Norma Hazley	\$50.00	Overpayment of Beach Fees

VOTE: Comm. McLoughlin-____; Comm. Cumiskey-____; Mayor McLaughlin-_____

**RESOLUTION #2024-119
A RESOLUTION TO HIRE SEASONAL EMPLOYEES – PRE-SEASON**

Offered By: _____ Seconded By: _____

BE IT RESOLVED, That the following be hired for the 2024 summer season commencing on dates indicated:

		Commencing on
Don Deibert	\$21 per hour	4-1-2024
Rich Heitmuller	\$19 per hour	4-1-2024

VOTE: Comm. McLoughlin____; Comm. Cumiskey____; Mayor McLaughlin_____

**RESOLUTION #2024-120
A RESOLUTION TO APPROVE ENGINEER CERTIFICATE #3 FOR
IMPROVEMENTS TO MUNICIPAL HANDICAP RAMP**

Offered By: _____ Seconded By: _____

WHEREAS, A contract was awarded to MTB LLC. for the Improvements to Municipal Handicap Ramp and,

WHEREAS, The Borough Engineer has reviewed the project and recommended payment as provided for in Engineer’s Certificate #3, which is on file in the Clerk’s office;

WHEREAS, Funds for this purpose shall be provided through the Ordinance “ADA Improvements to Borough Hall Handicap Ramp – C-04-55-985-005”, and the CFO has so certified;

NOW, THEREFORE, BE IT RESOLVED, That MTB LLC. be compensated in the amount of \$18,000.64 for work done in accordance with the Engineer’s Certificate #3.

VOTE: Comm. McLoughlin-____; Comm. Cumiskey-____; Mayor McLaughlin-_____

RESOLUTION #2024-121
A RESOLUTION TO APPROVE JUNIOR MEMBERS IN ALLENHURST FIRST AID SQUAD

Offered By:

Seconded By:

WHEREAS, The Membership Committee of Allenhurst First Aid Squad has received applications for membership as a Junior Member in the Cadet Program from the following :

Jacob DeFoneska

Ryan Taylor

and:

WHEREAS, The Membership Committee has advised the Board of Commissioners that those listed are acceptable for membership.

NOW, THEREFORE, BE IT RESOLVED, That those listed are approved for membership in Allenhurst First Aid Squad as Junior Members in the Cadet Program.

BE IT FURTHER RESOLVED, That the Borough Clerk be and is hereby authorized to execute the necessary paperwork on behalf of the aforementioned applicants.

VOTE: Comm. McLoughlin____; Comm. Cumiskey____;Mayor McLaughlin____

RESOLUTION #2024-122
A RESOLUTION TO APPROVE EXECUTIVE SESSION

Offered By:

Seconded By:

WHEREAS, State law permits the exclusion of public in certain circumstances; and,

WHEREAS, The Board of Commissioners of the Borough of Allenhurst finds that such circumstances currently exist; and,

WHEREAS, The Board of Commissioners will make public, minutes of the closed session when confidentiality no longer exists;

NOW, THEREFORE, BE IT RESOLVED, By the Board of Commissioners that they are hereby authorized to enter into closed session to discuss legal/contractual matters which are exempt from the public meeting under the Sunshine Law.

VOTE: Comm. McLoughlin____; Comm. Cumiskey____;Mayor McLaughlin____

RESOLUTION #2024-123
A RESOLUTION TO APPROVE BILLS (4-17-2024 to 5-7-2024)

Offered By:

Seconded By:

BE IT RESOLVED, That bills totaling \$660,305.43 be approved for payment; and,

BE IT FURTHER RESOLVED, That the May 7, 2024 consolidated bill list be attached hereto and made a part thereof.

VOTE: Comm. McLoughlin____; Comm. Cumiskey____;Mayor McLaughlin____